

Read these instructions carefully before taking this product – if you have any questions, ask your doctor or pharmacist. Pepto-Bismol oral suspension contains the active ingredient bismuth subsalicylate. It works by forming a soothing and protective coating of your stomach and intestine.


DO NOT USE IF YOU ARE: • under 16 years due to a possible reaction between salicylates and Reye's syndrome (a very rare but very serious disease) • allergic to salicylates including aspirin or any of the other ingredients • taking other salicylates including aspirin • pregnant or breast-feeding.

ASK A DOCTOR BEFORE USE IF YOU ARE TAKING MEDICINES FOR: • thinning the blood (anticoagulants) • diabetes • gout.

DIRECTIONS FOR USE: Adults and children over 16 years only: • Shake the bottle well before use. For oral use only. • Pour 30ml (one dose) into the cup provided and swallow. • Repeat the dose every 30-60 minutes if needed. • Do not take more than 8 doses in 24hrs • Do not exceed the stated dose or use after the expiry date. • Only use as directed, use for longer than 2 days, or in higher doses than recommended has been associated with an increase in side effects. • If you have diarrhoea, it is important to prevent or treat dehydration by drinking plenty of fluids or taking oral rehydration products, especially if you are frail or elderly.

Pepto-Bismol

Bismuth subsalicylate 17.5 mg/ml



Fast relief of:

- ▼ Heartburn
 - ▼ Indigestion
 - ▼ Nausea
 - ▼ Upset Stomach
- Controls:*
- ▼ Diarrhoea

PROTECTIVE COATING ACTION

Oral Suspension 240ml

Spare Out Location
(To Contain Varnish and Color)

Lot & Exp ↑
P PL 00129/0358



Text revised: 01/10

POSSIBLE SIDE EFFECTS: This product may cause a temporary and harmless darkening of the stool and/or tongue.

Warning: this product contains amaranth (colouring) which may cause allergic type reactions including asthma.

STOP USING and SEE YOUR DOCTOR IF: • Symptoms are severe or persist for more than 2 days • you have diarrhoea accompanied by fever • you notice anything unusual or have unexpected side effects • you accidentally take too much.

STORE: Below 25°C. Keep out of the reach and sight of children.

INGREDIENTS: Active is bismuth subsalicylate (526 mg in 30ml dose). Others: aluminium magnesium silicate, methylcellulose, methyl salicylate, salicylic acid, sorbic acid, benzoic acid, saccharin sodium salicylate, amaranth and water.

Licence holder: Procter & Gamble, KT13 0XP

Release site: P&G, WN8 9NE, UK



99631158